

CURRICULUM VITAE

Name: Sohei SATOI, M.D., F.A.C.S.

Nationality: Japanese

Education:

1991 M.D. Kansai Medical University

1999 Ph.D. Department of Surgery, Kansai Medical University

Professional Training and Employment:

1991-1994: Resident in Surgery, Kansai Medical University

1994-1996: Medical Staff in Surgery, Yao Tokusyukai Hospital

1996-1999: Postgraduate Student and Investigator, First Department of Surgery, Kansai Medical University

1999-2000: Clinical Fellow in the Liver Unit, the Queen Elizabeth Hospital, United Kingdom

2000 Clinical Fellow in Service de Chirurgie Generale, Hopital de la Croix Rouse, Lyon, France

2000 Clinical Fellow in Allgemein Chirurgie, Klinikum Leverkusen gmbH, Leverkusen, Germany

2000 Clinical Fellow in Allgemein Chirurgie, Universitaet Krankenhaus Eppendorf, Hamburg, Germany

2001-2009: Lecturer in Hepato-pancreato-biliary division, Department of Surgery, Kansai Medical University

2009-2013: Assistant Professor, Department of Surgery, Kansai Medical University

2013- Associate Professor, Department of Surgery, Kansai Medical University

Visiting Associate Professor, Department of Surgery, Tokyo Medical University

2015- Visiting Professor, Department of Surgery, Tokyo Medical University

2018- Professor, Division of Pancreatobiliary Surgery, Department of Surgery, Kansai Medical University

Licensure and Certification:

1991/5/27 Passed the Examination of National Board Registration (No. 340316)

1995 Surgeon authorized by Japan Surgical Society (No. 10466)

1997 Surgeon authorized by Japanese Society of Gastroenterological Surgery (No. 2781)

2002/12/1 Board Certified Surgeon by Japanese Surgical Society (No. 1801782)

2004/1/1 Board Certified Surgeon by Japanese Society of Gastroenterological Surgery (No. 3001798)

2008 Board Certified Surgeon by Japan Society for Hepatobiliary Pancreas Surgery (08-20280)

Memberships, Offices and Committee Assignments in Professional Societies:

Member, Japan Surgical Society, Japan Surgical Association, Japan Society of Clinical Oncology, Japanese Society for Abdominal Emergency Medicine, Japanese Association for Acute Medicine, Japan Society for Endoscopic Surgery, Japanese Society of Gastroenterology, Japan Biliary Association, International Society of Hepato-pancreato-biliary Association (No. 12093), International Association of Pancreatology (No. 2097)

2011 Committee member, Japanese Society of Hepato-Biliary-Pancreatic Surgery

2013 Committee member, Japan Pancreas Society



- 2015 Committee member, Japanese Society for Clinical Pathway
- 2016 Committee member, Japanese Society of Gastroenterological Surgery
- 2016 Member of the European Guidelines on cystic tumors of the pancreas: *Surgical strategy chapter*
- 2016 Journal of HepatoBiliary Pancreatic Science; Editorial Board
- 2018 Journal of Pancreatology; Editorial Board

Honors and Awards:

- 2007 Kansai Medical University, Research Grant Award
- 2010 Ministry of Health, Labour and Welfare Grant-in-Aid for Scientific Research
- 2011 Fujii Setsuro Memorial Foundation, Research Grant Award
- 2013 **International Guest Scholarship 2013 of the American College of Surgeons**
- 2015 the Japanese Foundation for Multidisciplinary Treatment of Cancer, Research Grant Award
- 2015 Research Grant of Japanese Society for Clinical Pathway Society
- 2016 Protocol competition winner at 11st annual meeting of preoperative therapy for pancreatic ductal adenocarcinoma society
- 2016 Poster prize in JDDW 2016
- 2018 Best paper award of Japanese society of Clinical Pathway

Bibliography (in English)

IF: 402.282

Citation: 2447

h index: 29

i10 index: 65

Book Chapter

1. General rules of pancreatic ductal adenocarcinoma; The 4th English Edition, Japan Pancreas Society, Shuji Isaji, Shinichi Egawa, Masashi Kishiwada, Hirohisa Kitagawa, Sohei Satoi, Kyoichi Takaori, Masaji Tani, Takashi Hatori, Tsutomu Fujii, Yoshiaki Murakami, Koji Yamaguchi, Hideyuki Yoshitomi, Hiroyuki Isayama, Takao Itoi, Tetsuhide Ito, Takuji Okusaka, Noriyoshi Fukushima, Toru Furukawa, Akio Yanagisawa, Zenya Naito, Akihiko Nakaizumi, Katsunori Uchida, Yohei Masugi, Toshihumi Gabata, Shuang-Qin Yi, Masamichi Mizuma. Kinbara publisher, 1-123, 2017.
2. Open, Laparoscopic and Robotic hepatic transection. Open hepatic transection using microwave tissue coagulation. Satoi S, Kitade H, Matsui Y, Kwon A-H. Springer 3-12, 2012.

Original papers

1. Study Group of Preoperative therapy for Pancreatic cancer (PREP). A single-arm, phase II trial of neoadjuvant gemcitabine and S1 in patients with resectable and borderline resectable pancreatic adenocarcinoma: PREP-01 study. Motoi F, Satoi S, Honda G, Wada K, Shinichi H, Matsumoto I, Sho M, Tsuchida A, Unno M; J Gastroenterol. doi: 10.1007/s00535-018-1506-7. [Epub ahead of print] 2018.
2. Does modified Blumgart anastomosis without intra-pancreatic ductal stenting reduce post-operative pancreatic fistula after pancreaticojejunostomy? Satoi S, Yamamoto T, Yanagimoto H, Yamaki S, Kosaka H, Hirooka S, Kotsuka M, Ryota H, Michiura T, Inoue K, Matsui Y. Asian J Surg. pii: S1015-9584(18)30231-8. doi:

- 10.1016/j.asjsur.2018.06.008. [Epub ahead of print] 2018.
3. Use of a piece of free omentum to prevent bile leakage after subtotal cholecystectomy. Matsui Y, Hirooka S, Kotsuka M, Yamaki S, Yamamoto T, Kosaka H, Satoi S. *Surgery*. 164:419-423, 2018.
 4. Surgical management of intraductal papillary mucinous neoplasm with main duct involvement: an international expert survey and case-vignette study. Scholten L, van Huijgevoort NCM, Bruno MJ, Fernandez-Del Castillo C, Satoi S, Sauvanet A, Wolfgang C, Fockens P, Chari ST, Del Chiaro M, van Hooft JE, Besselink MG; European Study Group on Cystic Tumours of the Pancreas and the International Association of Pancreatology. *Surgery*. S0039-6060(18)30082-5. doi: 10.1016/j.surg.2018.01.025. [Epub ahead of print] 2018.
 5. Clinical impact of developing better practices at the institutional level on surgical outcomes after distal pancreatectomy in 1,515 patients -Domestic audit of the Japanese Society of Pancreatic Surgery-. Satoi S, Yamamoto T, Motoi F, Matsumoto I, Yoshitomi H, Amano R, Tahara M, Murakami Y, Arimitsu H, Hirono S, Sho M, Ryota H, Ohtsuka M, Unno M, Takeyama Y, Yamaue H. *Ann Gastroenterol Surg*. 2:212-219, 2018.
 6. Preoperative weight loss program involving a 20-day very low-calorie diet for obesity before laparoscopic gastrectomy for gastric cancer. Inoue K, Yoshiuchi S, Yoshida M, Nakamura N, Nakajima S, Kitamura A, Mouri K, Michiura T, Mukaide H, Ozaki T, Miki H, Yanagimoto H, Satoi S, Kaibori M, Hamada M, Kimura Y, Kon M. *Asian J Endosc Surg*. 2018 Mar 25. doi: 10.1111/ases.12479. [Epub ahead of print] 2018.
 7. A phase I study for adjuvant chemotherapy of gemcitabine plus S-1 in patients with biliary tract cancer undergoing curative resection without major hepatectomy (KHBO1202). Yanagimoto H, Toyokawa H, Sakai D, Wada H, Satoi S, Yamamoto T, Nagano H, Toyoda M, Ajiki T, Satake H, Tsuji A, Miyamoto A, Tsujie M, Takemura S, Yanagihara K, Ioka T. *Cancer Chemother Pharmacol*. 81:461-468, 2018.
 8. Is distal pancreatectomy with en-bloc celiac axis resection effective for patients with locally advanced pancreatic ductal adenocarcinoma? -Multicenter surgical group study. Yamamoto T, Satoi S, Kawai M, Motoi F, Sho M, Uemura KI, Matsumoto I, Honda G, Okada KI, Akahori T, Toyama H, Kurata M, Yanagimoto H, Yamaue H, Unno M, Kon M, Murakami Y. *Pancreatology*. 18:106-113, 2018.
 9. Multicenter phase II study of intravenous and intraperitoneal paclitaxel with S-1 for pancreatic ductal adenocarcinoma patients with peritoneal metastasis. Satoi S, Fujii T, Yanagimoto H, Motoi F, Kurata M, Takahara N, Yamada S, Yamamoto T, Mizuma M, Honda G, Isayama H, Unno M, Kodera Y, Ishigami H, Kon M. *Ann Surg*. 265:397-401, 2017.
 10. Randomized clinical trial of duct-to-mucosa pancreaticogastrostomy versus handsewn closure after distal pancreatectomy. Uemura K, Satoi S, Motoi F, Kwon M, Unno M, Murakami Y. *Br J Surg*. 104:536-543, 2017.
 11. Basophils activated via TLR signaling may contribute to pathophysiology of type 1 autoimmune pancreatitis. Yanagawa M, Uchida K, Ando Y, Tomiyama T, Yamaguchi T, Ikeura T, Fukui T, Nishio A, Uemura Y, Miyara T, Okamoto H, Satoi S, Okazaki K. *J Gastroenterol*. 2017 Sep 18. doi: 10.1007/s00535-017-1390-6. [Epub ahead of print] 2017.
 12. Reinforced staplers for distal pancreatectomy. Kawai M, Hirono S, Okada KI, Satoi S, Yanagimoto H, Kon M, Murakami Y, Kondo N, Sho M, Akahori T, Toyama H, Fukumoto T, Fujii T, Matsumoto I, Eguchi H, Ikoma H, Takeda Y, Fujimoto J, Yamaue H. *Langenbecks Arch Surg* 402:1197-1204, 2017.
 13. Optimal Duration of Prophylactic Antibiotics Administration in

- Pancreaticoduodenectomy. Yamamoto T, Satoi S, Yanagimoto H, Yamaki S, Hirooka S, Michiura T, Inoue K, Matsui Y. *Surg. Gastroenterol. Oncol.* 22:334-341, 2017.
14. Developing better practices at the institutional level leads to better outcomes after pancreaticoduodenectomy in 3,378 patients: domestic audit of the Japanese Society of Pancreatic Surgery. Satoi S, Yamamoto T, Yoshitomi H, Motoi F, Kawai M, Fujii T, Wada K, Arimitsu H, Sho M, Matsumoto I, Hirano S, Yanagimoto H, Ohtsuka M, Unno M, Yamaue H, Kon M. *J Hepatobiliary Pancreat Sci.* 24:501-510, 2017.
 15. Retrospective study of the correlation between pathological tumor size and survival after curative resection of T3 pancreatic adenocarcinoma: proposal for reclassification of the tumor extending beyond the pancreas based on tumor size. Kurata M, Honda G, Murakami Y, Uemura K, Satoi S, Motoi F, Sho M, Matsumoto I, Kawai M, Yanagimoto H, Fukumoto T, Nagai M, Goshō M, Unno M, Yamaue H; Multicenter Study Group of Pancreatobiliary Surgery (MSG-PBS). *World J Surg.* 41:2867-2875, 2017.
 16. Clinical effect of pancreaticojejunostomy with a long-internal stent during pancreaticoduodenectomy in patients with a main pancreatic duct of small diameter. Yamamoto T, Satoi S, Yanagimoto H, Hirooka S, Yamaki S, Ryota H, Kotsuka M, Matsui Y, Kon M. *Int J Surg.* 42:158-163, 2017.
 17. Comparison of surgical outcomes of three different stump closure techniques during distal pancreatectomy. Karabicak I, Satoi S, Yanagimoto H, Yamamoto T, Yamaki S, Kosaka H, Hirooka S, Kotsuka M, Michiura T, Inoue K, Matsui Y, Kon M. *Pancreatology.* 17:497-503, 2017.
 18. Survival benefit of intravenous and intraperitoneal paclitaxel with S-1 in pancreatic ductal adenocarcinoma patients with peritoneal metastasis: a retrospective study in a single institution. Satoi S, Yanagimoto H, Yamamoto T, Hirooka S, Yamaki S, Kosaka H, Inoue K, Hashimoto Y, Matsui Y, Kon M. *J Hepatobiliary Pancreat Sci.* 24:289-296, 2017.
 19. Morphological and immunohistochemical comparison of intrapancreatic nerves between chronic pancreatitis and type 1 autoimmune pancreatitis. Kato K, Ikeura T, Yanagawa M, Tomiyama T, Fukui T, Uchida K, Takaoka M, Nishio A, Uemura Y, Satoi S, Yamada H, Okazaki K. *Pancreatology.* 17:403-410, 2017.
 20. Clinical outcomes of pancreatic ductal adenocarcinoma resection following neoadjuvant chemoradiation therapy vs. chemotherapy. Satoi S, Yanagimoto H, Yamamoto T, Ohe C, Miyasaka C, Uemura Y, Hirooka S, Yamaki S, Ryota H, Michiura T, Inoue K, Matsui Y, Tanigawa N, Kon M. *Surg Today.* 47:84-91.2017.
 21. Clinical benefits of neoadjuvant chemoradiotherapy for adenocarcinoma of the pancreatic head: an observational study using inverse probability of treatment weighting. Fujii T, Satoi S, Yamada S, Murotani K, Yanagimoto H, Takami H, Yamamoto T, Kanda M, Yamaki S, Hirooka S, Kon M, Kodera Y. *J Gastroenterol.* 52:81-93, 2017.
 22. Risk factors for latent distant organ metastasis detected by staging laparoscopy in patients with radiologically defined locally advanced pancreatic ductal adenocarcinoma. Karabicak I, Satoi S, Yanagimoto H, Yamamoto T, Hirooka S, Yamaki S, Kosaka H, Inoue K, Matsui Y, Kon M. *J Hepatobiliary Pancreat Sci.* 23:750-755, 2016.
 23. Clinicopathological characteristics of young patients with pancreatic cancer: an analysis of data from pancreatic cancer registry of Japan pancreas society. Eguchi H, Yamaue H, Unno M, Mizuma M, Hamada S, Igarashi H, Kuroki T, Satoi S, Shimizu Y, Tani M, Tanno S, Hirooka Y, Fujii T, Masamune A, Mizumoto K, Itoi T, Egawa S, Kodama Y, Tanaka M, Shimosegawa T; Committee of Clinical Research, Japan Pancreas Society. *Pancreas.* 45:1411-1417, 2016.
 24. Proposed nomogram predicting the individual risk of malignancy in the patients with

- branch duct type intraductal papillary mucinous neoplasms of the pancreas. Jang JY, Park T, Lee S, Kim Y, Lee SY, Kim SW, Kim SC, Song KB, Yamamoto M, Hatori T, Hirono S, Satoi S, Fujii T, Hirano S, Hashimoto Y, Shimizu Y, Choi DW, Choi SH, Heo JS, Motoi F, Matsumoto I, Lee WJ, Kang CM, Han HS, Yoon YS, Sho M, Nagano H, Honda G, Kim SG, Yu HC, Chung JC, Nagakawa Y, Seo HI, Yamaue H. *Ann Surg.* 266:1062-1068, 2016.
25. Impact of treatment duration of neoadjuvant FIRINOX in patients with borderline resectable pancreatic cancer: a pilot trial. Okada K, Kawai M, Hirono S, Satoi S, Yanagimoto H, Ioka T, Miyazawa M, Shimizu A, Kitahata Y, Yamaue H. *Cancer Chemother Pharmacol.* 78:719-26, 2016.
 26. Intravenous and intraperitoneal paclitaxel with S-1 for treatment of refractory pancreatic cancer with malignant ascites. Takahara N, Isayama H, Nakai Y, Ishigami H, Satoi S, Mizuno S, Kogure H, Matsubara S, Yamamoto N, Yamaguchi H, Tada M, Kitayama J, Watanabe T, Koike K. *Invest New Drugs.* 34:636-42, 2016.
 27. Grade B pancreatic fistulas do not affect survival after pancreatectomy for pancreatic cancer: A multicenter observational study. Kawai M, Murakami Y, Motoi F, Sho M, Satoi S, Matsumoto I, Honda G, Hirono S, Okada K, Unno M, Nakajima Y, Uemura K, Kwon AH, Fukumoto T, Kurata M, Yamaue H. *Surgery.* 160:293-305, 2016.
 28. Alleviating effect of Active Hexose Correlated Compound (AHCC) on chemotherapy-related adverse events in patients with unresectable pancreatic ductal adenocarcinoma. Yanagimoto H, Satoi S, Yamamoto T, Hirooka S, Yamaki S, Kotsuka M, Ryota H, Michiura T, Inoue K, Matsui Y, Tsuta K, Kon M. *Nutr Cancer.* 68:234-40, 2016.
 29. A clinical role of staging laparoscopy in patients with radiographically defined locally advanced pancreatic ductal adenocarcinoma. Satoi S, Yanagimoto H, Yamamoto T, Toyokawa H, Hirooka S, Yamaki S, Opendro SS, Inoue K, Michiura T, Ryota H, Matsui Y, Kon M. *World J Surg Oncol.* 14(1):14. doi:10.1186/s12957-016-0767-y, 2016.
 30. Prognosis after surgical treatment for pancreatic cancer in patients aged 80 years or older: a multicenter study. Sho M, Murakami Y, Kawai M, Motoi F, Satoi S, Matsumoto I, Honda G, Uemura K, Yanagimoto H, Kurata M, Akahori T, Kinoshita S, Nagai M, Nishiwada S, Fukumoto T, Unno M, Yamaue H, Nakajima Y. *J Hepatobiliary Pancreat Sci.* 23:188-97, 2016.
 31. Do pancrelipase delayed-release capsules have a protective role against nonalcoholic fatty liver disease after pancreatoduodenectomy in patients with pancreatic cancer? A randomized controlled trial. Satoi S, Sho M, Yanagimoto H, Yamamoto T, Akahori T, Kinoshita S, Nagai M, Hirooka S, Yamaki S, Nishiwada S, Ryota H, Ikeda N, Nakajima Y, Kon M. *J Hepatobiliary Pancreat Sci.* 23:167-73, 2016.
 32. Evaluation of the efficacy of daikenchuto (TJ -100) for the prevention of paralytic ileus after pancreaticoduodenectomy: A multicenter, double-blind, randomized, placebo-controlled trial. Okada K, Kawai M, Hirono S, Fujii T, Kodera Y, Sho M, Nakajima Y, Satoi S, Kwon AH, Shimizu Y, Ambo Y, Kondo N, Murakami Y, Ohuchida J, Eguchi H, Nagano H, Oba MS, Morita S, Sakamoto J, Yamaue H; JAPAN-PD Investigators. *Surgery.* 159:1333-41, 2016.
 33. Reappraisal of total pancreatectomy in 45 Patients with pancreatic ductal adenocarcinoma in the modern era using matched-pairs analysis: Multicenter study group of pancreatobiliary surgery in Japan. Satoi S, Murakami Y, Motoi F, Sho M, Matsumoto I, Uemura K, Kawai M, Kurata M, Yanagimoto H, Yamamoto T, Mizuma M, Unno M, Kinoshita S, Akahori T, Shinzeki M, Fukumoto T, Hashimoto Y, Hirono S, Yamaue H, Honda G, Kwon M. *Pancreas.* 45:1003-9, 2016.
 34. Phase I study assessing the feasibility of the triple combination chemotherapy of SOXIRI



- (S-1/oxaliplatin/irinotecan) in patients with unresectable pancreatic ductal adenocarcinoma. Yanagimoto H, Satoi S, Sho M, Akahori T, Yamamoto T, Hirooka S, Yamaki S, Kotsuka M, Ryota H, Kinoshita S, Nishiwada S, Nagai M, Ikeda N, Tsuta K, Nakajima Y, Kon M. *Cancer Chemother Pharmacol.* 77:35-41, 2016.
35. Staple-Line Reinforcement of the Duodenal Stump With Intracorporeal Lembert's Sutures in Laparoscopic Distal Gastrectomy With Roux-en-Y Reconstruction for Gastric Cancer. Inoue K, Michiura T, Fukui J, Mukaide H, Ozaki T, Miki H, Kobayashi T, Oishi M, Inada R, Matsumoto T, Yamada M, Yanagimoto H, Kim S, Satoi S, Kaibori M, Kon M, Hamada M. *Surg Laparosc Endosc Percutan Tech.* 26:338-42, 2016.
 36. Safety of laparoscopic cholecystectomy after coronary artery bypass with the right gastroepiploic artery. Matsui Y, Hirooka S, Ryota H, Yamamoto T, Yanagimoto H, Satoi S, Kon M. *Surgery.* 160:252-254, 2016.
 37. Proposed preoperative risk factors for early recurrence in patients with resectable pancreatic ductal adenocarcinoma after surgical resection: A multi-center retrospective study. Matsumoto I, Murakami Y, Shinzeki M, Asari S, Goto T, Tani M, Motoi F, Uemura K, Sho M, Satoi S, Honda G, Yamaue H, Unno M, Akahori T, Kwon AH, Kurata M, Ajiki T, Fukumoto T, Ku Y. *Pancreatology.* 15:674-80, 2015.
 38. Postoperative infectious complications after pancreatic resection. Okano K, Hirao T, Unno M, Fujii T, Yoshitomi H, Suzuki S, Satoi S, Takahashi S, Kainuma O, Suzuki Y. *Br J Surg.* 102:1551-60, 2015.
 39. Simple suturing technique for umbilical dimple wound after single-incision laparoscopic surgery. Matsui Y, Satoi S, Hirooka S, Kon M. *J Am Coll Surg.* 221:e61-3, 2015.
 40. Central pancreatectomy with double pancreaticojejunostomy. Sho M, Akahori T, Nagai M, Satoi S, Yanagimoto H, Kinoshita S, Yamamoto T, Ikeda N, Kwon AH, Nakajima Y. *J Am Coll Surg.* 221:e15-9, 2015.
 41. Multicenter comparative study of laparoscopic and open distal pancreatectomy using propensity score-matching. Nakamura M, Wakabayashi G, Miyasaka Y, Tanaka M, Morikawa T, Unno M, Tajima H, Kumamoto Y, Satoi S, Kwon M, Toyama H, Ku Y, Yoshitomi H, Nara S, Shimada K, Yokoyama T, Miyagawa S, Toyama Y, Yanaga K, Fujii T, Kodera Y; Study Group of JHBPS; JSEPS, Tomiyama Y, Miyata H, Takahara T, Beppu T, Yamaue H, Miyazaki M, Takada T. *J Hepatobiliary Pancreat Sci.* 22:731-6, 2015.
 42. Impact of preoperative biliary drainage on long-term survival in resected pancreatic ductal adenocarcinoma: a multicenter observational study. Uemura K, Murakami Y, Satoi S, Sho M, Motoi F, Kawai M, Matsumoto I, Honda G, Kurata M, Yanagimoto H, Nishiwada S, Fukumoto T, Unno M, Yamaue H. *Ann Surg Oncol.* 2015 Dec;22 Suppl 3:S1238-46. doi: 10.1245/s10434-015-4618-9. 2015.
 43. National comprehensive cancer network resectability status for pancreatic carcinoma predicts overall survival. Murakami Y, Satoi S, Sho M, Motoi F, Matsumoto I, Kawai M, Honda G, Uemura K, Yanagimoto H, Shinzeki M, Kurata M, Kinoshita S, Yamaue H, Unno M. *World J Surg.* 39:2306-14, 2015.
 44. Potential role of surgical resection for pancreatic cancer in the very elderly. Kinoshita S, Sho M, Yanagimoto H, Satoi S, Akahori T, Nagai M, Nishiwada S, Yamamoto T, Hirooka S, Yamaki S, Ikeda N, Kwon AH, Nakajima Y. *Pancreatology.* 15:240-6, 2015.
 45. Portal or superior mesenteric vein resection in pancreatoduodenectomy for pancreatic head carcinoma. Murakami Y, Satoi S, Motoi F, Sho M, Kawai M, Matsumoto I, Honda G; Multicentre Study Group of Pancreatobiliary Surgery (MSG-PBS). *Br J Surg.* 102:837-46, 2015.
 46. Postoperative prognosis of pancreatic cancer with para-aortic lymph node metastasis: a multicenter study on 822 patients. Sho M, Murakami Y, Motoi F, Satoi S, Matsumoto I,



- Kawai M, Honda G, Uemura K, Yanagimoto H, Kurata M, Fukumoto T, Akahori T, Kinoshita S, Nagai M, Nishiwada S, Unno M, Yamaue H, Nakajima Y. *J Gastroenterol.* 50:694-702, 2015.
47. Reappraisal of peritoneal washing cytology in 984 patients with pancreatic ductal adenocarcinoma who underwent margin-negative resection. Satoi S, Murakami Y, Motoi F, Uemura K, Kawai M, Kurata M, Sho M, Matsumoto I, Yanagimoto H, Yamamoto T, Mizuma M, Unno M, Hashimoto Y, Hirono S, Yamaue H, Honda G, Nagai M, Nakajima Y, Shinzeki M, Fukumoto T, Kwon AH. *J Gastrointest Surg.* 19:6-14, 2015.
 48. Comparison of neutrophil infiltration between type 1 and type 2 autoimmune pancreatitis. Mitsuyama T, Uchida K, Sumimoto K, Fukui Y, Ikeura T, Fukui T, Nishio A, Shikata N, Uemura Y, Satoi S, Mizuno N, Notohara K, Shimosegawa T, Zamboni G, Frulloni L, Okazaki K. *Pancreatol.* 15:271-80, 2015.
 49. Possible involvement of Toll-like receptor 7 in the development of type 1 autoimmune pancreatitis. Fukui Y, Uchida K, Sakaguchi Y, Fukui T, Nishio A, Shikata N, Sakaida N, Uemura Y, Satoi S, Okazaki K. *J Gastroenterol.* 50:435-44, 2015.
 50. Antitumor effect of angiotensin II type 1 receptor blocker Losartan for orthotopic rat pancreatic adenocarcinoma. Kim S, Toyokawa H, Yamao J, Satoi S, Yanagimoto H, Yamamoto T, Hirooka S, Yamaki S, Inoue K, Matsui Y, Kwon AH. *Pancreas.* 43:886-90, 2014.
 51. Antibiotic prophylaxis in laparoscopic cholecystectomy: a randomized controlled trial. Matsui Y, Satoi S, Kaibori M, Toyokawa H, Yanagimoto H, Matsui K, Ishizaki M, Kwon AH. *PLoS One.* 5:9:e106702, 2014.
 52. Improved survival with combined gemcitabine and S-1 for locally advanced pancreatic cancer: pooled analysis of three randomized studies. Yanagimoto H, Ishii H, Nakai Y, Ozaka M, Ikari T, Koike K, Ueno H, Ioka T, Satoi S, Sho M, Okusaka T, Tanaka M, Shimokawa T, Kwon AH, Isayama H. *J Hepatobiliary Pancreat Sci.* 21:761-6, 2014.
 53. Role of adjuvant surgery in initially unresectable pancreatic cancer after long-term chemotherapy or chemoradiation therapy: survival benefit? Opendro SS, Satoi S, Yanagimoto H, Yamamoto T, Toyokawa H, Hirooka S, Yamaki S, Inoue K, Matsui Y, Kwon AH. *J Hepatobiliary Pancreat Sci.* 21:695-702, 2014.
 54. Clinical impact of preoperative cholangitis after biliary drainage in patients who undergo pancreaticoduodenectomy on postoperative pancreatic fistula. Yanagimoto H, Satoi S, Yamamoto T, Toyokawa H, Hirooka S, Yui R, Yamaki S, Ryota H, Inoue K, Michiura T, Matsui Y, Kwon AH. *Am Surg.* 80:36-42, 2014.
 55. Pancreaticogastrostomy following distal pancreatectomy prevents pancreatic fistula-related complications. Yanagimoto H, Satoi S, Toyokawa H, Yamamoto T, Hirooka S, Yamao J, Yamaki S, Ryota H, Matsui Y, Kwon AH. *J Hepatobiliary Pancreat Sci.* 21:473-8, 2014.
 56. Phase II clinical study of alternate-day oral therapy with S-1 as first-line chemotherapy for locally advanced and metastatic pancreatic cancer. Yamaue H, Satoi S, Kanbe T, Miyazawa M, Tani M, Kawai M, Hirono S, Okada K, Yanagimoto H, Kwon AH, Mukouyama T, Tsunoda H, Chijiwa K, Ohuchida J, Kato J, Ueda K, Yamaguchi T, Egawa S, Hayashi K, Shirasaka T. *Cancer Chemother Pharmacol.* 73:97-102, 2014.
 57. Influence of preoperative anti-cancer therapy on resectability and perioperative outcomes in patients with pancreatic cancer: Project study by the Japanese Society of Hepato-Biliary-Pancreatic Surgery. Motoi F, Unno M, Takahashi H, Okada T, Wada K, Sho M, Nagano H, Matsumoto I, Satoi S, Murakami Y, Kishiwada M, Honda G, Kinoshita H, Baba H, Hishinuma S, Kitago M, Tajima H, Shinchi H, Takamori H, Kosuge T, Yamaue H, Takada T. *J Hepatobiliary Pancreat Sci.* 21:148-58, 2014.

58. Less morbidity after introduction of a new departmental policy for patients who undergo open distal pancreatectomy. Yui R, Satoi S, Toyokawa H, Yanagimoto H, Yamamoto T, Hirooka S, Yamaki S, Ryota H, Michiura T, Inoue K, Matsui Y, Kwon AH. *J Hepatobiliary Pancreat Sci.* 21:72-7, 2014.
59. Effects of pancrelipase on nonalcoholic fatty liver disease after pancreaticoduodenectomy. Nagai M, Sho M, Satoi S, Toyokawa H, Akahori T, Yanagimoto H, Yamamoto T, Hirooka S, Yamaki S, Kinoshita S, Nishiwada S, Ikeda N, Kwon AH, Nakajima Y. *J Hepatobiliary Pancreat Sci.* 21:186-92, 2014.
60. Comparison of Tc-99m GSA scintigraphy and CT volumetry for evaluation in portal vein embolization. Kono Y, Kariya S, Komemushi A, Nakatani M, Yoshida RY, Suzuki S, Ha-Kawa SK, Utsunomiya K, Ueno Y, Satoi S, Kaibori M, Kon M, Tanigawa N. *Minim Invasive Ther Allied Technol.* 23:241-6, 2014.
61. The similarity of Type 1 autoimmune pancreatitis to pancreatic ductal adenocarcinoma with significant IgG4-positive plasma cell infiltration. Fukui Y, Uchida K, Sumimoto K, Kusuda T, Miyoshi H, Koyabu M, Ikeura T, Sakaguchi Y, Shimatani M, Fukui T, Matsushita M, Takaoka M, Nishio A, Shikata N, Sakaida N, Uemura Y, Satoi S, Kwon AH, Okazaki K. *J Gastroenterol.* 48:751-61, 2013.
62. Role of adjuvant surgery for patients with initially unresectable pancreatic cancer with a long-term favorable response to non-surgical anti-cancer treatments: results of a project study for pancreatic surgery by the Japanese Society of Hepato-Biliary-Pancreatic Surgery. Satoi S, Yamaue H, Kato K, Takahashi S, Hirono S, Takeda S, Eguchi H, Sho M, Wada K, Shinchi H, Kwon AH, Hirano S, Kinoshita T, Nakao A, Nagano H, Nakajima Y, Sano K, Miyazaki M, Takada T. *J Hepatobiliary Pancreat Sci.* 20:590-600, 2013.
63. The clinical role of critical pathway implementation for pancreaticoduodenectomy in 179 patients. Yamaki S, Satoi S, Toyokawa H, Yanagimoto H, Yamamoto T, Hirooka S, Yui R, Inoue K, Matsui Y, Kwon AH. *J Hepatobiliary Pancreat Sci.* 20:271-8, 2013.
64. Proposal for splenectomy-omitting radical distal pancreatectomy in well-selected left-sided pancreatic cancer: multicenter survey study. Kim SH, Kang CM, Satoi S, Sho M, Nakamura Y, Lee WJ. *J Hepatobiliary Pancreat Sci.* 20:375-81, 2013.
65. Absence of cystic duct leakage using locking clips in 1017 cases of laparoscopic cholecystectomy. Matsui Y, Yamaki S, Yamamoto T, Isizaki M, Matsui K, Yanagimoto H, Toyokawa H, Kaibori M, Satoi S, Kwon AH. *Am Surg.* 78:1228-31, 2012.
66. Ultrasonic scalpel for gastric cancer surgery: a prospective randomized study. Inoue K, Nakane Y, Michiura T, Yamada M, Mukaide H, Fukui J, Miki H, Ueyama Y, Nakatake R, Tokuhara K, Iwamoto S, Yanagimoto H, Toyokawa H, Satoi S, Kwon AH. *J Gastrointest Surg.* 16:1840-6, 2012.
67. Long-term results of surgical resection after preoperative chemoradiation in patients with pancreatic cancer. Satoi S, Yanagimoto H, Toyokawa H, Yamamoto T, Hirooka S, Yui R, Yamaki S, Matsui Y, Kitade H, Tanigawa N, Takai S, Kwon AH. *Pancreas.* 41:333-5, 2012.
68. Neo-adjuvant chemoradiation therapy using S-1 followed by surgical resection in patients with pancreatic cancer. Satoi S, Toyokawa H, Yanagimoto H, Yamamoto T, Kamata M, Ohe C, Sakaida N, Uemura Y, Kitade H, Tanigawa N, Inoue K, Matsui Y, Kwon AH. *J Gastrointest Surg.* 16:784-92, 2012.
69. Circulating CD4+CD25+ regulatory T cells in patients with pancreatic cancer. Yamamoto T, Yanagimoto H, Satoi S, Toyokawa H, Hirooka S, Yamaki S, Yui R, Yamao J, Kim S, Kwon AH. *Pancreas.* 41:409-15, 2012.
70. Circulating myeloid dendritic cells as prognostic factors in patients with pancreatic



- cancer who have undergone surgical resection. Yamamoto T, Yanagimoto H, Satoi S, Toyokawa H, Yamao J, Kim S, Terakawa N, Takahashi K, Kwon AH. *J Surg Res.* 173:299-308, 2012.
71. Involvement of inducible costimulator- and interleukin 10-positive regulatory T cells in the development of IgG4-related autoimmune pancreatitis. Kusuda T, Uchida K, Miyoshi H, Koyabu M, Satoi S, Takaoka M, Shikata N, Uemura Y, Okazaki K. *Pancreas.* 40:1120-30, 2011.
 72. The role of circulating dendritic cells in patients with unresectable pancreatic cancer. Hirooka S, Yanagimoto H, Satoi S, Yamamoto T, Toyokawa H, Yamaki S, Yui R, Inoue K, Michiura T, Kwon AH. *Anticancer Res.* 31:3827-34, 2011.
 73. Predictive risk factors for clinically relevant pancreatic fistula analyzed in 1,239 patients with pancreaticoduodenectomy: multicenter data collection as a project study of pancreatic surgery by the Japanese Society of Hepato-Biliary-Pancreatic Surgery. Kawai M, Kondo S, Yamaue H, Wada K, Sano K, Motoi F, Unno M, Satoi S, Kwon AH, Hatori T, Yamamoto M, Matsumoto J, Murakami Y, Doi R, Ito M, Miyakawa S, Shinchi H, Natsugoe S, Nakagawara H, Ohta T, Takada T. *J Hepatobiliary Pancreat Sci.* 18:601-8, 2011.
 74. Use of the new ultrasonically curved shear in pancreaticoduodenectomy for periampullary cancer. Satoi S, Yanagimoto H, Toyokawa H. *J Hepatobiliary Pancreat Sci.* 18:609-14, 2011.
 75. Selective use of staging laparoscopy based on carbohydrate antigen 19-9 level and tumor size in patients with radiographically defined potentially or borderline resectable pancreatic cancer. Satoi S, Yanagimoto H, Toyokawa H, Inoue K, Wada K, Yamamoto T, Hirooka S, Yamaki S, Yui R, Mergental H, Kwon AH. *Pancreas.* 40:426-32, 2011.
 76. Reinforcement of pancreaticojejunostomy using polyglycolic acid mesh and fibrin glue sealant. Satoi S, Toyokawa H, Yanagimoto H, Yamamoto T, Hirooka S, Yui R, Yamaki S, Matsui Y, Mergental H, Kwon AH. *Pancreas.* 40:16-20, 2011.
 77. A phase II study of personalized peptide vaccination combined with gemcitabine for non-resectable pancreatic cancer patients. Yanagimoto H, Shiomi H, Satoi S, Mine T, Toyokawa H, Yamamoto T, Tani T, Yamada A, Kwon AH, Komatsu N, Itoh K, Noguchi M. *Oncol Rep.* 24:795-801, 2010.
 78. Is a nonstented duct-to-mucosa anastomosis using the modified Kakita method a safe procedure? Satoi S, Toyokawa H, Yanagimoto H, Yamamoto T, Hirooka S, Yui R, Yamaki S, Takahashi K, Matsui Y, Mergental H, Kwon AH. *Pancreas.* 39:165-70, 2010.
 79. Pre-operative patient selection of pancreatic cancer patients by multi-detector row CT. Satoi S, Yanagimoto H, Toyokawa H, Tanigawa N, Komemushi A, Matsui Y, Mergental H, Araki H, Takai S, Kamiyama Y. *Hepatogastroenterology.* 56:529-34, 2009.
 80. Surgical results after preoperative chemoradiation therapy for patients with pancreatic cancer. Satoi S, Yanagimoto H, Toyokawa H, Takahashi K, Matsui Y, Kitade H, Mergental H, Tanigawa N, Takai S, Kwon AH. *Pancreas.* 38:282-8, 2009.
 81. Immunological effect of active hexose correlated compound (AHCC) in healthy volunteers: a double-blind, placebo-controlled trial. Terakawa N, Matsui Y, Satoi S, Yanagimoto H, Takahashi K, Yamamoto T, Yamao J, Takai S, Kwon AH, Kamiyama Y. *Nutr Cancer.* 60:643-51, 2008.
 82. Long-term outcome of hepatocellular carcinoma patients who underwent liver resection using microwave tissue coagulation. Satoi S, Matsui Y, Kitade H, Yanagimoto H, Toyokawa H, Yamamoto H, Hirooka S, Kwon AH, Kamiyama Y. *HPB (Oxford).* 10:289-95, 2008.
 83. A new guideline to reduce postoperative morbidity after pancreaticoduodenectomy. Satoi

- S, Toyokawa H, Yanagimoto H, Yamamoto T, Yamao J, Kim S, Matsui Y, Takai S, Mergental H, Kamiyama Y. *Pancreas*. 37:128-33, 2008.
84. Neoadjuvant chemoradiation in patients with potentially resectable pancreatic cancer. Takai S, Satoi S, Yanagimoto H, Toyokawa H, Takahashi K, Terakawa N, Araki H, Matsui Y, Sohgwawa M, Kamiyama Y. *Pancreas*. 36:e26-32, 2008.
 85. Circulating dendritic cells and development of septic complications after pancreatectomy for pancreatic cancer. Takahashi K, Satoi S, Yanagimoto H, Terakawa N, Toyokawa H, Yamamoto T, Matsui Y, Takai S, Kwon AH, Kamiyama Y. *Arch Surg*. 142:1151-7, 2007.
 86. Postoperative outcomes in patients with hepatocellular carcinomas resected with exposure of the tumor surface: clinical role of the no-margin resection. Matsui Y, Terakawa N, Satoi S, Kaibori M, Kitade H, Takai S, Kwon AH, Kamiyama Y. *Arch Surg*. 142:596-602, 2007.
 87. Clinical impact of multidetector row computed tomography on patients with pancreatic cancer. Satoi S, Yamamoto H, Takai S, Tanigawa N, Komemushi A, Yanagimoto H, Toyokawa H, Matsui Y, Mergental H, Kamiyama Y. *Pancreas*. 34:175-9, 2007.
 88. Immunological evaluation of personalized peptide vaccination with gemcitabine for pancreatic cancer. Yanagimoto H, Mine T, Yamamoto K, Satoi S, Terakawa N, Takahashi K, Nakahara K, Honma S, Tanaka M, Mizoguchi J, Yamada A, Oka M, Kamiyama Y, Itoh K, Takai S. *Cancer Sci*. 98:605-11, 2007.
 89. Less morbidity after pancreaticoduodenectomy of patients with pancreatic cancer. Satoi S, Takai S, Matsui Y, Terakawa N, Iwaki R, Fukui J, Yanagimoto H, Takahashi K, Toyokawa H, Araki H, Kwon AH, Kamiyama Y. *Pancreas*. 33:45-52, 2006.
 90. Clinical monitoring of innate cellular immunity of monocytes/macrophages by tumor necrosis factor alpha productivity in whole blood stimulated by lipopolysaccharide in patients with pancreatic cancer. Terakawa N, Satoi S, Takai S, Yanagimoto H, Takahashi K, Komiyama Y, A-Hon K, Kamiyama Y, Takahashi H. *Pancreas*. 33:31-7, 2006.
 91. Surgical influence of pancreatectomy on the function and count of circulating dendritic cells in patients with pancreatic cancer. Takahashi K, Toyokawa H, Takai S, Satoi S, Yanagimoto H, Terakawa N, Araki H, Kwon AH, Kamiyama Y. *Cancer Immunol Immunother*. 55:775-84, 2006.
 92. Clinical outcome of 214 liver resections using microwave tissue coagulation. Satoi S, Kamiyama Y, Matsui Y, Kitade H, Kaibori M, Yamamoto H, Yanagimoto H, Takai S, Kwon AH. *Hepatogastroenterology*. 52:1180-5, 2005.
 93. Impaired function of circulating dendritic cells in patients with pancreatic cancer. Yanagimoto H, Takai S, Satoi S, Toyokawa H, Takahashi K, Terakawa N, Kwon AH, Kamiyama Y. *Clin Immunol*. 114:52-60, 2005.
 94. Clinicopathologic evaluation after resection for ductal adenocarcinoma of the pancreas: a retrospective, single-institution experience. Takai S, Satoi S, Toyokawa H, Yanagimoto H, Sugimoto N, Tsuji K, Araki H, Matsui Y, Imamura A, Kwon AH, Kamiyama Y. *Pancreas*. 26:243-9, 2003.
 95. Prevention of pleural effusion following hepatectomy using argon beam coagulation. Kwon AH, Matsui Y, Satoi S, Kaibori M, Kamiyama Y. *Br J Surg*. 90:302-5, 2003.
 96. Improved prognosis of postoperative hepatocellular carcinoma patients when treated with functional foods: a prospective cohort study. Matsui Y, Uhara J, Satoi S, Kaibori M, Yamada H, Kitade H, Imamura A, Takai S, Kawaguchi Y, Kwon AH, Kamiyama Y. *J Hepatol*. 37:78-86, 2002.
 97. The use of liver grafts from donors with bacterial meningitis. Satoi S, Bramhall SR, Solomon M, Hastings M, Mayer AD, de Goyet JV, Buckels JA, McMaster P, Mirza DF. *Transplantation*. 72:1108-13, 2001.

98. Nitric oxide production and hepatic dysfunction in patients with postoperative sepsis. Satoi S, Kamiyama Y, Kitade H, Kwon AH, Takahashi K, Wei T, Inoue T, Takahashi H. *Clin Exp Pharmacol Physiol*. 27:197-201, 2000.
99. Different responses to surgical stress between extra domain A+ and plasma fibronectins. Satoi S, Hiramatsu Y, Kitade H, Kwon AH, Matsui K, Miyashita K, Sakashita E, Sekiguchi K, Takahashi H, Kamiyama Y. *Clin Exp Pharmacol Physiol*. 26:225-9, 1999.
100. Prolonged decreases in plasma nitrate levels at early postoperative phase after hepato-pancreato-biliary surgery. Satoi S, Kamiyama Y, Kitade H, Kwon AH, Yoshida H, Nakamura N, Takai S, Uetsuji S, Okuda K, Hara K, Takahashi H. *J Lab Clin Med*. 131:236-42, 1998.
101. Activation of alpha-smooth muscle actin-positive myofibroblast-like cells after chemotherapy with gemcitabine in a rat orthotopic pancreatic cancer model. Yamao J, Toyokawa H, Kim S, Yamaki S, Satoi S, Yanagimoto H, Yamamoto T, Hirooka S, Matsui Y, Kwon AH. *J Hepatobiliary Pancreat Sci*. 20:206-13, 2013.
102. Hepatocellular dysfunction induced by nitric oxide production in hepatocytes isolated from rats with sepsis. Tu W, Satoi S, Zhang Z, Kitade H, Okumura T, Kwon AH, Kamiyama Y. *Shock*. 19:373-7, 2003.
103. Enhancement of circulating dendritic cell activity by immunomodulators (OK432 and KP-40). Toyokawa H, Inaba M, Takai S, Satoi S, Beuth J, Ko HL, Matsui Y, Kwon AH, Kamiyama Y, Ikehara S. *Anticancer Res*. 22:2137-45, 2002.
104. Increased nitric oxide production in hepatocytes is involved in liver dysfunction following obstructive jaundice. Tu W, Kitade H, Satoi S, Zhang ZT, Kaibori M, Kwon AH, Kamiyama Y, Okumura T. *J Surg Res*. 106:31-6, 2002.
105. Increased extra domain-A containing fibronectin and hepatic dysfunction during septic response: an in vivo and in vitro study. Satoi S, Kitade H, Hiramatsu Y, Kwon AH, Takahashi H, Sekiguchi K, Uehara M, Oda M, Yanagimoto Y, Miyashita K, Sakashita E, Kamiyama Y. *Shock*. 13:492-6, 2000.
106. Acceptance of skin allografts in pigs by portal venous injection of donor bone marrow cells. Morita H, Nakamura N, Sugiura K, Satoi S, Sakakura Y, Tu W, Yoshida K, Oda M, Inoue T, Inui H, Nagahama T, Kamiyama Y, Ikehara S. *Ann Surg*. 230:114-9, 1999.
107. Ex vivo liver perfusion with arterial blood from a pig with ischemic liver failure. Nakamura N, Kamiyama Y, Takai S, Kamiya T, Imamura A, Matsui Y, Wei T, Kaibori M, Satoi S, Saitoh T, Yoshida H, Yoshida K, Kwon AH. *Artif Organs*. 23:153-60, 1999.

Review

1. Splenic vein resection together with the pancreatic parenchyma versus separated resection after isolation of the parenchyma during distal pancreatectomy (COSMOS-DP trial): study protocol for a randomised controlled trial. Yamada S, Fujii T, Kawai M, Shimokawa T, Nakamura M, Murakami Y, Satoi S, Eguchi H, Nagakawa Y, Kodera Y, Yamaue H. *Trials*. 19:369. doi: 10.1186/s13063-018-2756-7, 2018.
2. European Study Group on Cystic Tumours of the Pancreas. Del Chiaro M, Besselink MG, Scholten L, Bruno MJ, Cahen DL, Gress TM, van Hooft JE, Lerch MM, Mayerle J, Hackert T, Satoi S, Zerbi A, Cunningham D, Angelis C, Giovannini M, de-Madaria E, Hegyi P, Rosendahl J, Friess H, Manfredi R, Lévy P, Real FX, Sauvanet A, Hilal MA, Marchegiani G, Esposito I, Ghaneh P, Engelbrecht MR, Fockens P, van Huijgevoort NC, Wolfgang C, Bassi C, Gubergrits NB, Verbeke C, Klöppel G, Scarpa A, Zamboni G, Lennon AM, Sund M, Kartalis N, Grenacher L, Falconi M, Arnelo U, Kopchak KV, Oppong K, McKay C, Hauge T, Conlon K, Adham M, Ceyhan GO, Salvia R, Dervenis C, Allen P, Paye F, Bartsch DK, Lühr M, Mutignani M, Laukkarinen J, Schulick R, Valente

- R, Seufferlein T, Capurso G, Siriwardena A, Neoptolemos JP, Pukitis A, Segersvärd R, Aghdassi A, Andrianello S, Bossuyt P, Bülow R, Cárdenas-Jaén K, Cortegoso P, Fontana M, Haeberle L, Heckler M, Litvin A, Mann K, Michalski C, Michl P, Nappo G, Perri G, Persson S, Scheufele F, Sclafani F, Schmidt M, Venezia L, Volker F, Vullierm MP, Wüsten L. European evidence-based guidelines on pancreatic cystic neoplasms. *Gut*. 2018 Mar 24. pii: gutjnl-2018-316027. doi: 10.1136/gutjnl-2018-316027. [Epub ahead of print] 2018.
3. Reappraisal of previously reported meta-analyses on antibiotic prophylaxis for low-risk laparoscopic cholecystectomy: an overview of systematic reviews. Matsui Y, Satoi S, Hirooka S, Kosaka H, Kawaura T, Kitawaki T. *BMJ Open*. 2018 Mar 16;8(3):e016666. doi: 10.1136/bmjopen-2017-016666. 2018.
 4. Effect of neoadjuvant nab-paclitaxel plus gemcitabine therapy on overall survival in patients with borderline resectable pancreatic cancer: a prospective multicenter phase II trial (NAC-GA Trial). Okada KI, Shimokawa T, Hirono S, Kawai M, Sho M, Satoi S, Matsumoto I, Eguchi H, Murakami Y, Yamada S, Doi M, Yamaue H; NAC-GA investigators. *Oncology*. 93:343-346., 2017.
 5. Commentary on: Prevention of postoperative bile leakage using an omental plugging technique for subtotal cholecystectomy in the "difficult gallbladder". Matsui Y, Hirooka S, Yamaki S, Yamamoto T, Yanagimoto H, Satoi S, Kon M. *Surgery*. 161:565-566, 2017.
 6. Redefining the R1 resection in patients with pancreatic ductal adenocarcinoma. Markov P, Satoi S, Kon M. *J Hepatobiliary Pancreat Sci*. 23:523-32, 2016.
 7. Using an internal thoracic artery holder in pancreaticojejunostomy. Satoi S, Toyokawa H, Yanagimoto H, Matsui Y, Takai S, Kamiyama Y. *Surgery*. 140:836-7, 2006.
 8. Safety of hepatectomy for living donors as evaluated using acialoscintigraphy. Kwon AH, Matsui Y, Kaibori M, Satoi S, Kamiyama Y. *Transplant Proc*. 36:2239-42,2004.

Case Report

1. Cytological features of hepatoid adenocarcinoma of the gallbladder: A case report with immunocytochemical analyzes. Yoshioka S, Ishida M, Okano K, Sandoh K, Ebisu Y, Miyasaka C, Yamamoto T, Ryota H, Satoi S, Tsuta K. *Diagn Cytopathol*. 2018 Apr 10. doi: 10.1002/dc.23935. [Epub ahead of print]2018.
2. Cytological features of mixed adenoneuroendocrine carcinoma of the ampulla of Vater: A case report with immunocytochemical analyses. Yoshioka S, Ebisu Y, Ishida M, Uemura Y, Yanagimoto H, Satoi S, Tsuta K. *Diagn Cytopathol*. 2018 Jan 16. doi: 10.1002/dc.23891. [Epub ahead of print] 2018.
3. Acute median arcuate ligament syndrome after pancreaticoduodenectomy. Karabicak I, Satoi S, Yanagimoto H, Yamamoto T, Hirooka S, Yamaki S, Kosaka H, Kotsuka M, Inoue K, Matsui Y, Kon M. *Surg Case Rep*. 2:113, 2016.
4. Successful multidisciplinary therapy for small cell carcinomas arising from the extrahepatic bile duct. Nakamaru K, Ikeura T, Miyoshi H, Takaoka M, Danbara N, Horitani S, Masuda M, Yamada Y, Uemura Y, Toyokawa H, Satoi S, Kwon AH, Okazaki K. *Intern Med*. 54:2711-5, 2015.
5. Pylorus-preserving total pancreatectomy for metastatic renal cell carcinoma: a case report. Kitade H, Yanagida H, Yamada M, Matsuura T, Yoshioka K, Satoi S, Matsui Y, Kon M. *J Med Case Rep*. 16:9:212, 2015.
6. Granulocyte-colony stimulating factor producing anaplastic carcinoma of the pancreas treated by distal pancreatectomy and chemotherapy: report of a case. Kitade H, Yanagida H, Yamada M, Satoi S, Yoshioka K, Shikata N, Kon M. *Surg Case Rep*. 1:46, 2015.
7. Laparoscopic distal pancreatectomy for a pancreatic lymphoepithelial cyst: case report



- and review of literature. Yanagimoto H, Satoi S, Toyokawa H, Yamamoto T, Hirooka S, Yui R, Yamaki S, Yoshida K, Wada G, Okuno M, Inoue K, Michiura T, Matsui Y, Nakano Y, Sakaida N, Kwon AH. *JOP*. 10;14:664-8, 2013.
8. Autoimmune pancreatitis with histologically proven lymphoplasmacytic sclerosing pancreatitis with granulocytic epithelial lesions. Ikeura T, Takaoka M, Uchida K, Shimatani M, Miyoshi H, Kusuda T, Kurishima A, Fukui Y, Sumimoto K, Satoi S, Ohe C, Uemura Y, Kwon AH, Okazaki K. *Intern Med*. 51:733-7, 2012.
 9. Idiopathic duct-centric pancreatitis (IDCP) with immunological studies. Kusuda T, Uchida K, Satoi S, Koyabu M, Fukata N, Miyoshi H, Ikeura T, Sakaguchi Y, Yoshida K, Fukui T, Shimatani M, Matsushita M, Takaoka M, Nishio A, Uemura Y, Kwon AH, Okazaki K. *Intern Med*. 49:2569-75, 2010.
 10. A case of splenic low-grade mucinous cystadenocarcinoma resulting in pseudomyxoma peritonei. Ohe C, Sakaida N, Yanagimoto Y, Toyokawa H, Satoi S, Kwon AH, Tadokoro C, Takasu K, Uemura Y. *Med Mol Morphol*. 43:235-40, 2010.
 11. Inflammatory pseudotumors of the pancreas and liver with infiltration of IgG4-positive plasma cells. Uchida K, Satoi S, Miyoshi H, Hachimine D, Ikeura T, Shimatani M, Matsushita M, Takaoka M, Takai S, Ashida K, Okazaki K. *Intern Med*. 46:1409-12, 2007.
 12. Stenting of the superior mesenteric artery as a preoperative treatment for total pancreatectomy. Tanigawa N, Kariya S, Komemushi A, Satoi S, Kamiyama Y, Sawada S, Kojima H, Sougawa M, Takai Y. *Cardiovasc Intervent Radiol*. 27:533-5, 2004.
 13. Refractoriness to platelet transfusion following partial hepatectomy for hepatocellular carcinoma: report of two cases. Kaibori M, Nagahama T, Yokoigawa N, Yanagida H, Nakamoto H, Kitade H, Satoi S, Onishi S, Kwon AH, Kamiyama Y. *Hepato-gastroenterology*. 50:832-6, 2003.